TCL



G60K-IU Commercial TV

75" | 65" | 55" | 50" | 43"

* To enjoy all smart features and services on your Google TV™ from TCL, a Google Account, a free TCL account, and a reliable broadband internet connection, are required.
* Google TV is the name of this device's software experience and a trademark of Google LLC.
* Some apps, contents and / or features may not be available in all countries. Subject to availability.
* Dolby, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation.
* Features, specs, certifications vary by model, screen size and region, and are subject to change at any time without notice.

Reasons to choose the TCL G60K-IU

Hotel Enable


Customize versatile hotel settings and streamline management effortlessly



4K UHD + HDR 10



AiPQ Processor




Metallic Bezel-less



Ultra-low Power



Multiple Interfaces



2G RAM
16GB ROM

MEMC

Dolby Audio

dts X

More details below

Metallic Bezel-less

The metallic bezel-less design of the TCL G60K-IU enables full-screen viewing, ensuring a captivating experience in any hotel installation scenario.




Ultra-low Power

As an eco-friendly and energy-efficient solution, the G60K-IU enables hotels to cut energy costs versus standard high-power TVs.



AiPQ Processor


TCL's self-developed AiPQ Processor incorporates numerous TCL's unique image quality tuning algorithms. This chip has excellent intelligent sensing capabilities and can make pixel-level adjustments to the image quality, thus providing a top-notch viewing experience.



Dolby Audio

Dolby Audio places you at the center of every scene - offering crystal-clear audio, sharper dialogue, and immersive detail for a superior listening experience.





Customized Function Settings

With one-click Hotel Enable activation, you can quickly set up the TV’s startup welcome message and configure user permissions, such as adjusting the maximum volume and Power On Mode.

Input Preset

You can also set a default input source for TV start-up. Regardless of the last used input before shut-down, the TV will always switch to your preset source when powered on.

Hotel USB Clone

You can select the data types you want to clone, copy the TV data to a USB drive, or clone the data from the USB drive to other TVs.

Clear User Data

You can configure the TV to automatically clear user data on startup, with four options available: clear all data, remove Google account, delete app data, or no clearance.

Model	75G60K-IU	65G60K-IU	55G60K-IU

Basic Information

Size	75	65	55
Product Type	LED 4K TV	LED 4K TV	LED 4K TV
Chassis Platform	RT2875P	RT2875P	RT2875P
Memory	2GB+16GB	2GB+16GB	2GB+16GB
Local Dimming	NO	NO	NO
CPU	A75*2+A55*2	A75*2+A55*2	A75*2+A55*2
OS	GTV	GTV	GTV
Wireless	WIFI5	WIFI5	WIFI5
Bluetooth	BT5.2	BT5.2	BT5.2
Power Supply	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz
Power Consumption (TV On)	200W	145W	125W
Power Consumption (Standby)	< 0.5W	< 0.5W	< 0.5W
ECO Energy Efficiency	Yes	Yes	Yes

Panel Specification

Panel Active Size (Inch)	74.6"	64.5"	54.6"
Brightness (cd/m2)	330nit (typ)	280nit (typ)	270nit (typ)
Viewing Angle (H/V) (Open Cell)	178° /178° (typ.)	178° /178° (typ.)	178° /178° (typ.)
Color	1.07G 8bit+FRC	1.07G 8bit+FRC	1.07G 8bit+FRC
Refresh Rate (Hz)	60HZ(DLG 120)	60HZ(DLG 120)	60HZ
MEMC	60HZ	60HZ	60HZ
Color Gamut	72% NTSC	72% NTSC	72% NTSC

Picture

Picture Mode	Intelligent,vivid,std,sports,mov,game	Intelligent,vivid,std,sports,mov,game	Intelligent,vivid,std,sports,mov,game
Picture certification	HDR10	HDR10	HDR10

Audio

Special Feature	Dolby Aduio	Dolby Aduio	Dolby Aduio
Channel Configuration	2.0CH	2.0CH	2.0CH
Audio Power Output (THD=7%)	2*15W	2*10W	2*10W
Sound Mode	Dynamic,Standard, Movie, Music, Voice, Game, Sport	Dynamic,Standard, Movie, Music, Voice, Game, Sport	Dynamic,Standard, Movie, Music, Voice, Game, Sport
Audio Certification	Dolby Aduio	Dolby Aduio	Dolby Aduio

Feature

Google Assistant	Voice input via remote control.	Voice input via remote control.	Voice input via remote control.
	/	/	/
Input Method	T-IME, Gboard, Virtual Remote Keyboard	T-IME, Gboard, Virtual Remote Keyboard	T-IME, Gboard, Virtual Remote Keyboard
HDMI CEC	Yes	Yes	Yes
Connection authentication	Airplay2	Airplay2	Airplay2
DTV Programme only	EPG，Subtitle，Parental Control	EPG，Subtitle，Parental Control	EPG，Subtitle，Parental Control

Multimedia Spec (USB)

Music	MP3, MKV, WMA, AVI	MP3, MKV, WMA, AVI	MP3, MKV, WMA, AVI
Picture	JPEG/PNG/BMP/HEIF codec	JPEG/PNG/BMP/HEIF codec	JPEG/PNG/BMP/HEIF codec
Mutilmedia Video Decoder	H.264,H.265,MPEG1/2/4,WMV,VC1,VP8,VP9, AV1	H.264,H.265,MPEG1/2/4,WMV,VC1,VP8,VP9, AV1	H.264,H.265,MPEG1/2/4,WMV,VC1,VP8,VP9, AV1
Video Format up to	Up to 4K@60Hz	Up to 4K@60Hz	Up to 4K@60Hz
USB Mouse/Key Board	Yes	Yes	Yes

Accessory

Operation Manual	English	English	English
Remote Control and Batteries	RC833A (with 2AAA batteries)	RC833A (with 2AAA batteries)	RC833A (with 2AAA batteries)
Base Stand Integrated in Package	Yes	Yes	Yes
AC Power Cord	1 pcs	1 pcs	1 pcs
Other	/	/	/

Dimension&Weight

Set Size with Stand (WxDxH)	1667*349*1027	1446*300*878	1226*255*750
Set Size without Stand (WxDxH)	1667*74*959	1446*73*833	1226*72*711
Stand (Basic) (WxD)	1290*349	1275*300	1050*255
Adjust stand	/	/	/
Set Weight with Stand	18.2	12.3	9.2
Set Weight without Stand	18	12.2	9
Gross Weight with Packaging (Kg)	27.8 (without pallet)	19.2 (without pallet)	12.5 (without pallet)
Carton Dimensions LxDxH (mm)	1850*178*1125 (without pallet)	1608*145*1000 (without pallet)	1360*128*830 (without pallet)
Container Loading - - - 20 feet (pcs)	80 (without pallet)	110 (without pallet)	150 (without pallet)
Container Loading - - - 40 feet (pcs)	166 (without pallet)	234 (without pallet)	304 (without pallet)
Container Loading~~~40 feet High (pcs)	166 (without pallet)	234 (without pallet)	468 (without pallet)
VESA Mounting	WM33-75	WM32-65	WM32-65
VESA Spec (mm)	300*300	200*200	200*200

Model	50G60K-IU	43G60K-IU

Basic Information

Size	50	43
Product Type	LED 4K TV	LED 4K TV
Chassis Platform	RT2875P	RT2875P
Memory	2GB+16GB	2GB+16GB
Local Dimming	NO	NO
CPU	A75*2+A55*2	A75*2+A55*2
OS	GTV	GTV
Wireless	WIFI5	WIFI5
Bluetooth	BT5.2	BT5.2
Power Supply	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz
Power Consumption (TV On)	110W	90W
Power Consumption (Standby)	< 0.5W	< 0.5W
ECO Energy Efficiency	Yes	Yes

Panel Specification

Panel Active Size (Inch)	50"	43"
Brightness (cd/m2)	260nit (typ)	260nit (typ)
Viewing Angle (H/V) (Open Cell)	178° /178° (typ.)	178° /178° (typ.)
Color	1.07G 8bit+FRC	1.07G 8bit+FRC
Refresh Rate (Hz)	60HZ	60HZ
MEMC	60HZ	60HZ
Color Gamut	72% NTSC	72% NTSC

Picture

Picture Mode	Intelligent,vivid,std,sports,mov,game	Intelligent,vivid,std,sports,mov,game
Picture certification	HDR10	HDR10

Audio

Special Feature	Dolby Aduio	Dolby Aduio
Channel Configuration	2.0CH	2.0CH
Audio Power Output (THD=7%)	2*10W	2*10W
Sound Mode	Dynamic,Standard, Movie, Music, Voice, Game, Sport	Dynamic,Standard, Movie, Music, Voice, Game, Sport
Audio Certification	Dolby Aduio	Dolby Aduio

Feature

Google Assistant	Voice input via remote control.	Voice input via remote control.
	/	/
Input Method	T-IME, Gboard, Virtual Remote Keyboard	T-IME, Gboard, Virtual Remote Keyboard
HDMI CEC	Yes	Yes
Connection authentication	Airplay2	Airplay2
DTV Programme only	EPG，Subtitle，Parental Control	EPG，Subtitle，Parental Control

Multimedia Spec (USB)

Music	MP3, MKV, WMA, AVI	MP3, MKV, WMA, AVI
Picture	JPEG/PNG/BMP/HEIF codec	JPEG/PNG/BMP/HEIF codec
Mutilmedia Video Decoder	H.264,H.265,MPEG1/2/4,WMV,VC1,VP8,VP9, AV1	H.264,H.265,MPEG1/2/4,WMV,VC1,VP8,VP9, AV1
Video Format up to	Up to 4K@60Hz	Up to 4K@60Hz
USB Mouse/Key Board	Yes	Yes

Accessory

Operation Manual	English	English
Remote Control and Batteries	RC833A (with 2AAA batteries)	RC833A (with 2AAA batteries)
Base Stand Integrated in Package	Yes	Yes
AC Power Cord	1 pcs	1 pcs
Other	/	/

Dimension&Weight

Set Size with Stand (WxDxH)	1111*254*684	957*185*603
Set Size without Stand (WxDxH)	1111*70*644	957*72*558
Stand (Basic) (WxD)	960*255	838*185
Adjust stand	/	/
Set Weight with Stand	7.3	5.6
Set Weight without Stand	7.2	5.5
Gross Weight with Packaging (Kg)	10.5 (without pallet)	8.0 (without pallet)
Carton Dimensions LxDxH (mm)	1235*115*775 (without pallet)	1075*115*646 (without pallet)
Container Loading - - -20 feet (pcs)	264 (without pallet)	378 (without pallet)
Container Loading - - -40 feet (pcs)	561 (without pallet)	774 (without pallet)
Container Loading---40 feet High (pcs)	615 (without pallet)	886 (without pallet)
VESA Mounting	WM32-65	WM32-65
VESA Spec (mm)	200*200	200*200